

Refine Search

Search Results -

Terms	Documents
web adj server and web adj sites and internet and path\$9 same director\$3 and root	568

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search: L4

Search History

DATE: Monday, October 16, 2006 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR</i>			
<u>L4</u>	web adj server and web adj sites and internet and path\$9 same director\$3 and root	568	<u>L4</u>
<u>L3</u>	web adj server and web adj sites and internet and path\$9 same director\$3	1136	<u>L3</u>
<u>L2</u>	web adj server and web adj sites and internet and path\$9 and director\$3	3657	<u>L2</u>
<u>L1</u>	web adj server and web adj sites and internet and path\$9	7581	<u>L1</u>

END OF SEARCH HISTORY

[Sign in](#)[Go to Google Home](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#) [Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 536,000 for "["web server" "websites" internet path directory root](#)". (0.35 second)

[Dan Grigsby - Building offline web application demos](#)

When content is served from a **web server** it is fixed in a **directory** hierarchy. ... Go from the **root directory** to the **cgi-bin directory**, ...

[www.unpossible.com/blog/archives/000043.html](#) - 15k - [Cached](#) - [Similar pages](#)

[DataMine Corporation - Ecommerce Indiana websites Industrial ...](#)

We build **internet** presence via ecommerce storefronts, industrial web sites, ... At that point you will be in the **root directory** of your computer, ...
[support.datamine.net/client_FTPhelp.asp](#) - 14k - [Cached](#) - [Similar pages](#)

[Installing and Configuring the Microsoft IIS Plug-In](#)

For more information, see Proxying Requests from Multiple Virtual **Websites** to WebLogic Server. To configure proxying by **path**:. Start the **Internet** ...
[e-docs.bea.com/wls/docs81/plugins/isapi.html](#) - 55k - [Cached](#) - [Similar pages](#)

[Installing and Configuring the Microsoft Internet Information ...](#)

For more information, see Proxying Multiple Virtual **Websites** from IIS. To configure proxying by **path**:. Place the **iisforward.dll** file in the **same directory** ...
[e-docs.bea.com/wls/docs61/adminguide/isapi.html](#) - 45k - [Cached](#) - [Similar pages](#)

[\[doc\] Guidelines for UK government websites](#)

File Format: Microsoft Word - [View as HTML](#)

See section 2.1.2.1 An explanation of the **Internet** Domain Name Service. ... A **root directory** is named (for example 'root') and every file is placed within ...

[www.cabinetoffice.gov.uk/e-government/](#)
[docs/resources/web_guideline_handbook/word/wgl_2-1.doc](#) - [Similar pages](#)

[\[PDF\] Guidelines for UK Government websites](#)

File Format: PDF/Adobe Acrobat

the **Internet** DNS name of the webserver. See section 2.1.2.1 An ... down from the website's **root directory**. Connected files, grouped either by their file ...

[www.cabinetoffice.gov.uk/e-government/](#)
[docs/resources/web_guideline_handbook/pdf/wgl_2-1.pdf](#) - [Similar pages](#)
[More results from [www.cabinetoffice.gov.uk](#)]

[Migrating the WEBpliance Websites Backups into HSPcomplete](#)

Document **root**. The **directory** from which **web server** will serve files. Unless matched by a special directive like Alias, the **web server** appends the **path** from ...
[download1.swsoft.com/HSPcomplete/3.2.2/docs/HSPC_SG/7882.htm](#) - 34k -
[Cached](#) - [Similar pages](#)

[Installing and Configuring the Microsoft Internet Information ...](#)

You can also proxy multiple **websites** defined in IIS by **path**. ... Save a JSP file into the document **root** of the default Web Application. ...
[edocs.bea.com/wls/docs70/plugins/isapi.html](#) - 47k - [Cached](#) - [Similar pages](#)

[Multiple local websites with Apache — Turnip's Patch](#)

Try changing DocumentRoot C:/my/document/**root** to DocumentRoot
"C:/my/document/**root**" if you haven't already done so. It might be that the **path** has a space in ...

turnipspatch.com/multiple-local-websites-with-apache/ - 40k - [Cached](#) - [Similar pages](#)

wg:Staging websites on Mac OS X

DocumentRoot "copy/paste path from a few lines above" <Directory "paste path again"> ...

it's important for the virtual host with document **root** (I have no ...

web-graphics.com/mtarchive/001315.php - 26k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google